

COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16 Torbole Casaglia (BS) - 25030 - ITALIA Tel. +39 030 2151004 Fax. +39 030 2150858

SAFETY DATA SHEET

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 12616 - 12666

Product name VERDIGRIS REAGENT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use VERNICE A BASE ACQUA - WATER BASED PAINT

Identified Uses Industrial Professional Consumer

VERNICE PER USO PROFESSIONALE

1.3. Details of the supplier of the safety data sheet

Name COLORIFICIO CENTRALE S.R.L.

Full address Via Industria 12,14,16

District and Country 25030 Torbole Casaglia, Brescia (BS) - IT

e-mail address of the competent person info@fleurpaint.com responsible for the Safety Data Sheet

1.4. Emergency telephone number

For urgent inquiries refer to: +39 0302151004

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.



COLORIFICIO CENTRALE S.r.I.

Via Industria 12.14.16 Torbole Casaglia (BS) - 25030 - ITALIA Tel. +39 030 2151004

Fax. +39 030 2150858

SECTION 2. Hazards identification .../>>

VOC (Directive 2004/42/EC): Decorative effect coatings.

VOC given in g/litre of product in a ready-to-use condition: 0,00 Limit value: 200,00

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification Classification 1272/2008 (CLP) x = Conc. %

AMMONIUM CHLORIDE

12125-02-9 $10 \le x < 11,5$ Acute Tox. 4 H302, Eye Irrit. 2 H319 CAS

FC 235-186-4 INDEX 017-014-00-8

Rea. no. 01-2119489385-24-XXXX

PHOSPHORIC ACID

7664-38-2 $1 \le x < 1,5$ Skin Corr. 1B H314, Eye Dam. 1 H318, CAS

Classification note according to Annex VI to the CLP Regulation: B

FC. 231-633-2 INDEX 015-011-00-6

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for



COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16 Torbole Casaglia (BS) - 25030 - ITALIA Tel. +39 030 2151004 Fax. +39 030 2150858

health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU Deutschland TRGS 900 (Fassung 07.06.2018) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte

GBR United Kingdom EH40/2005 Workplace exposure limits (Third edition, published 2018)
ITA Italia DIRETTIVA (UE) 2017/164 DELLA COMMISSIONE del 31 gennaio 2017

EU OEL EU Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC;

Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2019



COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16 Torbole Casaglia (BS) - 25030 - ITALIA Tel. +39 030 2151004 Fax. +39 030 2150858

| SECTION 8. | Exposure | controls/p | personal | protection | / >> |
|------------|-----------------|------------|----------|------------|------|
|------------|-----------------|------------|----------|------------|------|

| | | | | AMMONIU | JM CHLORIDE | | | | |
|--|-------------|-----------|---------|---------|-------------|------------------|----------|---------|----------|
| hreshold Limit Valu | е | | | | | | | | |
| Type C | ountry | TWA/8h | | STEL/15 | min | | | | |
| • • | | mg/m3 | ppm | mg/m3 | ppm | | | | |
| WEL G | BR | 10 | • • | 20 | • • | | | | |
| TLV-ACGIH | | 10 | | 20 | | | | | |
| redicted no-effect o | oncentratio | on - PNEC | | | | | | | |
| Normal value in tre | sh water | | | | | | 0,25 | mg/l | |
| Normal value in ma | rine water | | | | | | 0,025 | mg/l | |
| Normal value for fre | sh water se | ediment | | | | | 0,9 | mg/kg | |
| Normal value for m | arine water | sediment | | | | | 0,09 | mg/kg | |
| Normal value for water, intermittent release | | | | | | | 0,43 | mg/l | |
| Normal value of STP microorganisms | | | | | | | 13,1 | mg/l | |
| Normal value for th | | | ent | | | | 163 | mg/kg/d | |
| lealth - Derived no-e | | | | | | | | 3 3 - | |
| | Effects | on consur | ners | | | Effects on worke | rs | | |
| Route of exposure | Acute | Acut | | Chronic | Chronic | Acute | Acute | Chronic | Chronic |
| , | local | syst | emic | local | systemic | local | systemic | local | systemic |
| Oral | | 55,2 | | | 11,4 | | 55.2 | 11,4 | • |
| | | mg/l | kg bw/d | | mg/kg bw/d | | | | |
| Inhalation | | | | | 9,9 | | | 9,9 | 33,5 |
| | | | | | mg/m3 | | | • | mg/m3 |
| Skin | | | | | 55,2 | | | 55,2 | 128,9 |
| | | | | | mg/kg bw/d | | | - | mg/kg |
| | | | | | | | | | bw/d |

| | | | | PHOSPF | HORIC ACID | | | |
|-----------------|---------|--------|-----|----------|------------|-------|--|--|
| Threshold Limit | Value | | | | | | | |
| Туре | Country | TWA/8h | | STEL/15r | min | | | |
| | | mg/m3 | ppm | mg/m3 | ppm | | | |
| AGW | DEU | 2 | | 4 | | INHAL | | |
| MAK | DEU | 2 | | 4 | | INHAL | | |
| WEL | GBR | 1 | | 2 | | | | |
| VLEP | ITA | 1 | | 2 | | | | |
| OEL | EU | 1 | | 2 | | | | |
| TLV-ACGIH | | 1 | | 3 | | | | |

Legend:: (C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374). The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.



COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16
Torbole Casaglia (BS) - 25030 - ITALIA
Tel. +39 030 2151004
Fax. +39 030 2150858

Information

SECTION 8. Exposure controls/personal protection/>>

ENVIRONMENTAL EXPOSURE CONTROLS: The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Value **Properties** Appearance liquid Colour beige Odour odourless Not available Odour threshold Not available Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point 60 Not available Evaporation rate Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Relative density 1,04 Solubility very soluble Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Not available Decomposition temperature Viscosity Not available Explosive properties Not available Oxidising properties Not available

9.2. Other information

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

PHOSPHORIC ACID

Decomposes at temperatures above 200°C/392°F.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

PHOSPHORIC ACID

Risk of explosion on contact with: nitromethane. May react dangerously with: alkalis, sodium borohydride.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

AMMONIUM CHLORIDE

Avoid exposure to: moisture, sources of heat.

10.5. Incompatible materials



COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16 Torbole Casaglia (BS) - 25030 - ITALIA Tel. +39 030 2151004 Fax. +39 030 2150858

SECTION 10. Stability and reactivity .../>>

AMMONIUM CHLORIDE

Incompatible with: water, bromine trifluoride, bromine pentafluoride, iodine heptafluoride, potassium chlorate, alkalis, alkaline carbonates, acids, lead salts, silver salts.

PHOSPHORIC ACID

Incompatible with: metals, strong alkalis, aldehydes, organic sulphides, peroxides.

10.6. Hazardous decomposition products

AMMONIUM CHLORIDE

May develop: nitric oxide,ammonia,hydrochloric acid.

PHOSPHORIC ACID

May develop: phosphoryl oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component)

LD50 (Oral) of the mixture: >2000 mg/kg

LD50 (Dermal) of the mixture: Not classified (no significant component)

PHOSPHORIC ACID

 LD50 (Oral)
 1530 mg/kg Rat

 LD50 (Dermal)
 2740 mg/kg Rabbit

 LC50 (Inhalation)
 > 0,85 mg/l/1h Rat

AMMONIUM CHLORIDE

LD50 (Oral) 1410 mg/kg Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class CARCINOGENICITY



COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16
Torbole Casaglia (BS) - 25030 - ITALIA
Tel. +39 030 2151004
Fax. +39 030 2150858

SECTION 11. Toxicological information .../>>

Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

AMMONIUM CHLORIDE

LC50 - for Fish 42,91 mg/l/96h Oncorhynchus mykiss EC50 - for Algae / Aquatic Plants 136,63 mg/l/72h Daphnia magna LC10 for Fish 4,28 mg/l/96h Lepomis macrochirus

12.2. Persistence and degradability

PHOSPHORIC ACID

Solubility in water > 850000 mg/l

Degradability: information not available

AMMONIUM CHLORIDE

Solubility in water > 10000 mg/l

Degradability: information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

COLORIFICIO CENTRALE S.r.I. - C.F e P.IVA 03032510178 - E-mail: info@fleurpaint.com - Sito Web: www.fleurpaint.com



COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16
Torbole Casaglia (BS) - 25030 - ITALIA
Tel. +39 030 2151004
Fax. +39 030 2150858

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 Product

Point

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

VOC (Directive 2004/42/EC):

Decorative effect coatings.



COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16 Torbole Casaglia (BS) - 25030 - ITALIA Tel. +39 030 2151004 Fax. +39 030 2150858

SECTION 15. Regulatory information .../>>

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4
Skin Corr. 1B Skin corrosion, category 1B
Eye Irrit. 2 Eye irritation, category 2
H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/1480 (XIII Atp. CLP)



COLORIFICIO CENTRALE S.r.I.

Via Industria 12,14,16
Torbole Casaglia (BS) - 25030 - ITALIA
Tel. +39 030 2151004
Fax. +39 030 2150858

SECTION 16. Other information .../>>

- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 04 / 08 / 09 / 11 / 12 / 15.