according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mr. Clay decorative plaster ClayBeton

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use

Use only for interior wall finishes where there is no direct contact with water.

Mixture uses advised against

Not recommended for use in outdoor, shower or bath areas. The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name UAB "Lietuvos prekybos kompanija"

Address Alytaus r. sav., Miroslavo sen., Plytinės g. 1,

Geistariškių k., LT-64234

Lithuania

Phone +37067700207 E-mail raimonda@clay.lt

Competent person responsible for the safety data sheet

Name UAB "Lietuvos prekybos

kompanija"

E-mail raimonda@clay.lt

1.4. Emergency telephone number

Belgium: Antigif Centrum Centre Antipoisons, Tel. No.: +32 070 245 245

Bulgaria: National Toxicology Centre, Hospital for Active Medical Treatment and Emergency Medicine

"N.I.Pirogov", Tel. No.: +359 2 9154 233 Cyprus: Cyprus Poison Center, Tel. No.: 1401

Croatia: Poison Control Centre, Tel. No.: +385 1 234 8342

Czech Republic: Toxicological Information Centre, Tel. No.: +420 224 919 293 / +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen), Tel. No.: +45 82 12 12 12 Greece: Poison Information Centre, Tel. No.: (0030) 2107793777

Estonia: National poison information centre, Tel. No.: +372 794 3794 or 16662 national

Finland: Poison Information Centre, Tel. No.: +358 09 471 977 or 0800 147 111

France: ORFILA (INERIS), Tel. No.: +33 (0) 1 45 42 59 59

Hungary: Health Toxicological Information Service, Tel. No.: +36 80 20 11 99

Italy: Hosp. Niguarda Ca 'Granda - Milan, Tel. No.: +39 02 66101029; CAV National Toxicological

Information Center - Pavia, Tel. No.: +39 038224444

Latvia: Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs, Tel. No.: +371 670 42473 Lithuania: The State Medicines Control Agency (SMCA), Poison Information Bureau (PIB), Tel. No.: +370 5 236 20 52

Luxembourg: Belgian Poison Center, Tel. No.: +352 8002 5500

Malta: Mater Dei Hospital, Tel. No.: +356 2545 0000

Netherlands: National Poisons Information Centre (NVIC). Only for the purpose of informing medical

personnel in case of acute intoxications, Tel. No.: +31 (0) 88 755 8000 Norway: Norwegian Poisons Information Centre, Tel. No.: +47 22 59 13 00

Portugal: Poisons Information Centre, Tel. No.: +351 800 250 250

Poland: Europejski numer alarmowy: 112

Romania: Clinica ATI II Toxicologie Clinică, Tel. No.: +40 021 599 23 00 Slovenia: The uniform telephone number for emergency calls, Tel. No.: 112

Slovakia: National Toxicological Information Centre (NTIC), Tel. No.: +421 2 5477 4166

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

Spain: Toxicology Information Service, Tel. No.: +34 91 562 04 20

Sweden: Emergency telephone number 112 - ask for Poisons Information (in Swedish: - begär

Giftinformation)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335

Most serious adverse effects on human health and the environment

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

2.2. Label elements

Hazard pictogram





Signal word

Danger

Hazardous substances

Portland cement clinker

Flue dust, portland cement

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with local/regional/national/international regulations.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

components.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 65997-15-1 EC: 266-043-4	Portland cement clinker	30	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335	1
CAS: 68475-76-3 EC: 270-659-9 Registration number: 01-2119486767-17- XXXX	Flue dust, portland cement	0-0.15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335	1

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed If

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

inhaled

Inhaling dust can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not inhale dust. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed.

7.3. Specific end use(s)

Not available.

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

Austria BGBl. II Nr. 156/2021

Substance name (component)	Туре	Value
Flue dust, portland cement (CAS: 68475-76-3)	MAK daily mean	5 mg/m ³

Notes

Inhalable fraction.

Belgium Royal Decree of 12 JANUARY 2020

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)	8h	1 mg/m³

Bulgaria

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)		8 mg/m ³

Cyprus

Substance name (component)	Туре	Value	
Portland cement clinker (CAS: 65997–15–1)	TWA	10 mg/m	1 ³

Croatia NN 148/2023

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)	GVI	4 mg/m ³

Notes

Respirable dust, the fraction that can reach the lungs by inhalation.

Croatia NN 148/2023

Substance name (component)	Туре	Value
Cement, portland, chemicals (CAS: 65997-15-1)	GVI	10 mg/m ³

Notes

Total dust, inhalable particles (all values in the columns for "mg/m3" refer to total dust; it is marked separately only in combination with R-respirable dust labels).

Croatia NN 148/2023

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)	GVI	10 mg/m ³

Notes

Total dust, inhalable particles (all values in the columns for "mg/m3" refer to total dust; it is marked separately only in combination with R-respirable dust labels).

Czech Republic

Government Regulation 41/2020 Coll.

Substance name (component)	Type	Value
Portland cement clinker (CAS: 65997-15-1)	PELc	10 mg/m ³

Estonia

Amendment to Regulation No. 132 of the Government of the Republic of 15 December 2022

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

Substance name (component)	Type	Value
Portland cement clinker (CAS: 65997-15-1)	Limit value 8 hours	10 mg/m ³

Estonia

Amendment to Regulation No. 132 of the Government of the Republic of 15 December 2022

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)	Limit value 8 hours	5 mg/m³

Notes

Foam dust consists of particles of less than 2.5 micrometres diameter, which can reach with the inhaled air into the lung alveoli.

Finland HTP-ARVOT 2020

Substance name (component)	Туре	Value
Doubland company display (CAC, CEOO7, 1E, 1)		1 mg/m ³
Portland cement clinker (CAS: 65997–15–1)		5 mg/m ³

Notes

.

Hungary

5/2020. (II. 6.) ITM Decree Annex 1

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)	ÁK-érték	10 mg/m ³

Ireland

2024 Chemical Agents and Carcinogens, Mutagens and Reprotoxic Substances Code of Practice

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)	OELV 8 hours	1 mg/m³

Notes

Respirable Fraction (R) - Particles of inhalable aerosols that are inhaled and are not captured in the upper airways (nasopharyngeal and tracheobronchial regions) but penetrate to the pulmonary region containing the respiratory bronchioles, alveolar ducts and alveolar sacs are considered to comprise of the respirable fraction of the aerosol.

Latvia

Cabinet Regulation No. 191/2024

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)	AER 8 hrs.	6 mg/m ³

Poland

Dz.U. 2024 poz. 1017

Substance name (component)	Type	Value
Portland cement clinker (CAS: 65997-15-1)	NDS	6 mg/m ³

Notes

.

Poland Dz.U. 2024 poz. 1017

Substance name (component)	Туре	Value
· ' '	, , , , , , , , , , , , , , , , , , ,	

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

Portland cement clinker (CAS: 65997–15–1)	NDS	2 mg/m3
Portland cement clinker (CAS: 65997–15–1)	מטאן	2 mg/m ³

Notes

.

In parallel, the respirable fraction of crystalline silica is determined.

Spain

Occupational exposure limits for chemical agents in Spain 2024

Substance name (component)	Туре	Value
Portland cement clinker (CAS: 65997-15-1)	VLA-ED	4 mg/m ³

Notes

This value is for particulate matter that does not contain asbestos and contain less than 1% crystalline silica.

Switzerland MAK-Werte 2017

Substance name (component)	Type	Value
Portland cement clinker (CAS: 65997-15-1)	MAK-Wert	5 mg/m ³

Notes

.

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Avoid direct skin contact with product. Identify potential areas for indirect skin contact. Wear gloves (tested to EN374) if hand contact with substance likely. Clean up contamination/spills as soon as they occur. Wash off any skin contamination immediately. Provide basic employee training to prevent / minimise exposures and to report any skin problems that may develop. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Mask with a filter in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state solid
Colour greyish
Odour odorless

Melting point/freezing point data not available

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

Boiling point or initial boiling point and boiling

range

Flammability non-inflammable
Lower and upper explosion limit not applicable
Flash point not applicable
Auto-ignition temperature not applicable
Decomposition temperature data not available

pH 11.47 (pH measured at 16,67 % solution concentration)

not applicable

Kinematic viscosity not applicable Solubility in water data not available Partition coefficient n-octanol/water (log value) not applicable Vapour pressure not applicable Density and/or relative density data not available not applicable Relative vapour density Particle characteristics data not available solid: particulate/powder Form

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Flue dust, portland cement							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date	20th November 2024		
Revision date		Version	1.0

Oral	LD50	OECD 422	>1848 mg/kg bw		Rat	F/M	ECHA
Inhalation (dust/mist)	LC50	OECD 436	>6.04 mg/l of air	4 hours	Rat	F/M	ECHA
Dermal	LD50	OECD 402	≥2000 mg/kg bw		Rat	F/M	ECHA

Skin corrosion/irritation

Causes skin irritation. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes serious eye damage. Data for the components of the mixture are not available.

Respiratory or skin sensitisation

May cause an allergic skin reaction. Data for the components of the mixture are not available.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation. Data for the components of the mixture are not available.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

classification of the mixture are not met.

Acute toxicity

Flue dust, po	Flue dust, portland cement							
Parameter	Method	Value	Exposure time	Species	Environm ent	Source		
NOEC	OECD 202	100 mg/l	48 hours	Daphnia (Daphnia magna)		ECHA		
EC50	OECD 201	22.4 mg/l	72 hours	Algae (Desmodesmus subspicatus)		ECHA		

Chronic toxicity

Flue dust, portland cement								
Parameter	Method	Value	Exposure time	Species	Environm ent	Source		
EL 10	OECD 211	68.2 mg/l	21 days	Daphnia (Daphnia magna)		ECHA		

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. - Commission Decision of 3 May 2000 replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste.

SECTION 14: Transport information

14.1. UN number or ID number

Not subject to transport regulations.

14.2. UN proper shipping name

Not relevant.

14.3. Transport hazard class(es)

Not relevant.

14.4. Packing group

Not relevant.

14.5. Environmental hazards

No.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- The European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date	20th November 2024		
Revision date		Version	1.0

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with local/regional/national/

international regulations.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods

by road

AGW Occupational Exposure Limits
AK Acceptable exposure limit
BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

Eye Dam. Serious eye damage

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

log Kow Octanol-water partition coefficient
MAK Maximum workplace concentration

MK Maximum concentration

NPEL The highest acceptable exposure limit
NPK Maximum admissible concentration
OEL Occupational Exposure Limits

PBT Persistent, bioaccumulative and toxic

PEL Permissible Exposure Limit
PMT Persistent, mobile and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT SE Specific target organ toxicity - single exposure

according to Commission Regulation (EU) 2020/878 as amended

Mr. Clay decorative plaster ClayBeton

Creation date 20th November 2024

Revision date Version 1.0

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

Not available.

Information about data sources used to compile the Safety Data Sheet

The ECHA database on registered substances and the ECHA classification and labelling inventory. GESTIS - the Information system on hazardous substances of the German Social Accident Insurance. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers. eChemPortal -the Global Portal to Information on Chemical Substances.

More information

Classification procedure - calculation method.

Statement

The data contained in this Safety Data Sheet must be available to anyone whose work is related to the product. The data corresponds to the current state of knowledge, national and EU legislation. The information provided indicates the safety requirements for the use of this product, but does not disclose other specific product features. The information is correct to the best of our knowledge at the date of preparation of the product Safety Data Sheet. This is not a specification sheet and any data provided should not be considered a specification. The information in this product Safety Data Sheet has been obtained from sources we believe to be reliable. Certain information and conclusions in this document are derived from sources other than direct data from tests or research on the product itself. The recipient of the product is responsible for compliance with applicable laws regarding handling, storage, use and disposal. If the product is used as a component in another product, the information in this product's Safety Data Sheet may not be valid.